

Morbidly Obsessed

The Junk Science of 'Obesity'

Kim Bryan

In western cultures fatness has long been regarded with distaste. Associated with deviance in morals or personal conduct, for those of larger size, ostracism, ridicule or exclusion are common experiences. Mostly, these ideas derive from a primitive but persistent cultural aversion to images of human disability, ugliness or imperfection. Today, owing, I suggest, to its appropriation by the medical establishment, the 'obesity' brand is fuelling discriminatory practices which impact directly on the life chances and wellbeing of the target group.

When scientific claims appear to reinforce longstanding cultural phobias, it is reasonable, given the damaging experiences historically of people who are marginalised, to expect alarms to sound and critical faculties to become engaged. In the case of obesogenics, we could not be more wrong. The study of fatness as a disease has become established across social and political media firstly here and then across the planet without any serious debate in the public forum over the substance of this claim. Scientists clinging to orthodoxies of the past, who believe for instance that women or non Europeans are less intelligent, that mental illness can be cured by surgery or that homosexuality can be 'reoriented', would, in modern academia, be likely to find themselves no platformed. Enjoying the advantage however of being current, and not associated therefore with a backward past, obesogenics is sweeping aside all before it.

What, exactly, is inhibiting our willingness or ability to scrutinise its claims? Are we still

blinded by the mantra that medicine is benign, operating independently of society? If this is the case then first and foremost it is the medical basis of the current war on fat that must be examined and tested against the standards that would normally be applied to any area of scientific study. While there will be multiple factors that will explain public acceptance of the deviance of any group, this essay will focus only on the doctrines of obesity science, looking specifically at how it assesses and presents evidence.

Defining the Disease

In the diagnostics of the fat war the currency of the problem is BMI, the weight-height chart constructed to quantify the extent of an individual's fatness. Any theory of human biology which is authentically scientific begins with natural laws, building from what we know about ourselves and our world. It should be noted from the outset therefore that in its adoption of body typology, obesogenics does the reverse, openly and shamelessly overriding biology in favour of socially constructed norms.

The obesogenic doctrine that diversity of body size is rooted in unnatural processes not only overrides living reality but is at odds spectacularly with core scientific knowledge. In fact studies conducted on identical twins, the only baseline adaptable to the test, are consistent in showing strong predisposition in body size and shape quantifiable statistically to that which determines height (Stunkard et al, 1986, Wardle, 2008). Furthermore biologists have explained long ago the natural processes that regulate appetite as well as individual body size and shape, and why attempts to modify or alter either by lifestyle changes have little chance of long term success.

If, in our determination to fight fat, we are guided by science not society, it is difficult to explain how a substantial body of established knowledge pointing to the normality of size development and diversity would give way to a powerful orthodoxy predicated upon its precise opposite.

The Character of the Disease

To the extent that it regards size modification as medically reasonable, it follows that obesogenics assumes that body size is a core indicator of important traits, in this case the health or well being of an individual. Once again the belief defies decades of scientific data suggesting body size is a largely passive ingredient in the health prognosis of individuals.

In relation to fitness, the usual standard in western societies of health, laboratory based studies suggest the benefits of exercise do not depend on weight or weight loss (Blair, 2007) while elite sport (not incidentally associated with longer life) is performed by athletes of all sizes. Until the eighties few practitioners would have questioned the idea that our better health, physical performance and longer life - we run faster, jump higher, last longer - is attributable at least in part to overcoming the diseases associated with malnourishment. Yet today's ideal of healthy living appears to be based on the entirely

contrary idea that the life patterns of well nourished people are problematic.

In arguing for a wholesale change in western lifestyles obesity scientists claim that since the 1970s overall growth in body size has accelerated proving it is no longer normal or healthy and has an origin in some unnatural cause. For the vast majority of us, the growth to which they refer is exaggerated by failure to control for age and changes to the BMI measures which expand the diagnosis. Use the original measures and our body growth levels over the last few decades are similar to those of height. Growth is also found disproportionately at the atypical margins among those who will carry the strongest predispositions to look different from the 'norm' (Campos et al, 2006, p55). It is at the margins that we find an exaggerated tendency to repetitious dieting or weight cycling, the element that multiple studies show is the 'single biggest predictor of weight gain' (cited *Scientific American*, 2007). Far from being welcomed, attempts to integrate this body of established knowledge into medical practice, along with recent studies suggesting our body growth is slowing, are overwhelmed by the power of the moralising panic narrative; generally 'good' news is followed not by reappraisal but by mounting levels of alarm (Rokholm 2010).

By conferring on the socially constructed idea of overweight the status of medical pathology, obesogenics is able to simply portray the presence of fat as the proof that something is wrong. Without this presupposition, rooted in belief systems linking large to excess, the broader changes claimed by obesity scientists simply do not exist. It was in the 1970s that calorie (and fat) intake first began to dip not increase as is often supposed. If we're looking to explain our unwanted growth, an explosion in dieting rather than overeating is a better fit (cited Gard and Wright, 2005, p116). Given that the body changes we've seen cannot be shown to be unnatural and the trend of the past forty years is calorie reduction not increase, it is hard to see how the claim that western society is threatened by an epidemic of obesity (meaning gluttony) is based on science.

Targeting the Diseased

In light of the comparative health of well nourished societies, it is difficult to understand why the diversity of body size which accompanies improved nutrition should be regarded by anyone as a problem let alone a crisis.

Given their belief in the pathology of the fat condition, it is no surprise that the obesogenic search for answers is focusing on the thinnest section of the population: children. The *Thousand Families Study* is one of many generational studies showing the strong link between increasing body size and ageing with eighty percent of fat people acquiring their fatness not in childhood but in adult life. In finding 'little tracking from childhood overweight to adulthood obesity' TTFS also found 'no excess adult health risk from childhood or teenage overweight'. According to Gard (2007) 'no study in the history of medical science has ever established a causal link between childhood fatness and adult ill health or premature death' (p8). In contrast the impact on children of calorie restriction even at lower levels is not disputed, resulting in adverse health outcomes which can be long

term or irreversible. In light of this, it is difficult to see how the current health programmes aimed at making fat children thinner are medically based.

Given their belief in the magnitude of the 'disease' it is common for anti-fat campaigners to explain it in terms of broader social problems. It may be reasonable, in light of mounting levels of prejudice, to expect more fat people on welfare and in lower paid jobs and, in due course, thinness to become correlated with success. In spite of major inequalities in health, however, recent UK based studies into 'obesity' and social class, conducted by the *Food Standards Agency* (2007) and by Norfolk PCT (2007) suggest that the relationship between poverty and BMI is marginal at most, amounting to a couple of pounds. Both studies also failed to find the link between food choices and body sizes upon which the abnormality narrative is predicated. If practitioners are linking poverty to BMI through what they see as common behaviours or characteristics, then, in the fullness of time, 'evidence', may well materialise linking obesity to criminality, antisocial behaviour and low intelligence.

When we examine its relationship with food, obesogenics appears intrinsically disordered. Mixed with our longstanding body dysmorphia modern anxiety about food is medically toxic. In contrast to what is popularly believed, decades of studies have failed to link any food or food group causally to disease except in highly abnormal quantities and fruit is as theoretically capable of 'causing' cancer as meat. Like overweight, our gluttony is a fabrication, the product of an artificial standard which, in playing to our subconscious fears, encourages an aversion to intuitive and therefore nutritious eating.

It is true we consume more fat and calories than our doctors say we should. Yet the diet we actually eat is also matched rather well to the balance of nutrients consumed by preceding generations, or at least the rich among them. While diet is often cited as a major cause of premature death, comparable to smoking, almost all diet related disease is in fact malnutrition in the elderly (BAPEN, 2005). Whatever the risks of over consumption they do not come near those associated with smoking or the morbidity intrinsic to low social status. The question once again is why, when our bodies are so good at regulating our consumption to our needs, our doctors appear to be operating by a very different standard.

According to Gard and Wright (2005) among its many roots in irrational fears, obesogenics draws on a longstanding inclination to view modern society as sick or soft, a theme of popular culture for so long it is oblivious to reason. However, the belief that fatness is proof of increasing idleness in western society is similarly not supported by the balance of evidence which suggests that fatter people are more active than the thin and that the overall level of activity of the population generally has not declined. While they may be fond of telling us how much time we spend looking at our computers, the context provided by the balance of data is always avoided: activity levels in general are unrelated to how much TV we watch or other aspects of 'sedentary' modern living (pp22-32).

'Scientists' (nearly all funded by the diet/lifestyle industry or drugs companies) who test the idleness of people based on size, have failed the baseline test of scientific integrity, to

interrogate their own biases. Since, under the most basic laws of nutrition, energy levels drop when food intake is suppressed, idleness, like malnutrition, is unlikely to be overcome by calorie 'control'. Where we are guided by the artificial one size fits all 'norm', the healthy imperative to eat well and keep active becomes, for most of us, unhealthy.

The Case for Malnutrition

Given the personal experiences of so many dieters, it's no surprise that the high failure rate of intentional malnutrition (dieting) is the one truth obesogenics has not managed entirely to bury. Given the association of ageing, specifically middle age, with body size increase, we should not be surprised to discover another truth, less well known, that eighty percent of studies into dieting and morbidity have suggested that regardless of BMI deliberate weight loss increases mortality especially in the over fifties (Gaesser, 2002, p136). Aside from its association with totalitarian states - Nazi Germany patented the lifestyle based model of responsible citizenship - using medicine to eliminate or amend naturally occurring human differences contains extraordinary potential for multiple levels of well documented physical and mental harm (Heuer and Puhl 2010). Next time you are told to lose weight, you might ask yourself (or your doctor) why he or she is telling you to do something that science has shown conclusively is bad for you.

It is reasonable to assume there is an association between increasing affluence and increasing body size. In the West we have fewer malnourished people and more older ones than we did fifty years ago. What is absolutely not reasonable by any scientific standard is the dogma that this is an aberration and that deprived or under nourished societies, individuals or communities are in some respect healthier. Health practitioners or campaigners who compare our modern lifestyle unfavourably to conditions of war, poverty or famine (see Rohrer, 2010) have submitted, I suggest, to phobias about ageing and control which view fasting or denial as an intrinsically good or morally superior condition. In its relationship with food, Paul Campos suggests obesogenics is mirroring the belief systems of anorexia, attitudes more common among high status individuals (2004). If he is right, the progress of the war on 'obesity' will likely mirror the recidivist, obsessive nature of the eating disorder. An increasingly unrealisable ideal will lead to an increasingly restrictive model of nutrition, forced, without informed consent, onto otherwise healthy citizens.

The Misappliance of Science

In promoting the concept of larger body size as disease, it has been necessary for obesogenicists to encourage the belief that when fat people die they have at some level died of obesity. To this end extraordinary liberties have been taken with scientific data.

Although scientists have known for a long time that arterial fat is completely unrelated to body fat, in larger people 'obesity stakeholders' (see Cooper) continue routinely to link the fatty deposits found in heart attacks to overweight. While, in general, studies suggest fat people are at the same or slightly lower risk of cancer, stakeholders have been broadly successful in getting overweight established as a risk factor for the disease. In the case of

breast cancer for instance only three of the sixteen studies cited by the *World Cancer Research Fund* in its 2009 report actually suggested any statistically significant link to large body size (compared to eight saying the reverse) and overall the 'links' to low body weight were stronger (cited Luik and Basham, 2009). It is hard to explain why the WCRF and breast cancer advice continues to list obesity as a factor. Unless of course we are dealing with practitioners who are less interested in treating the cancer than 'curing' the 'obesity'.

In spite of the frequency of the claim, no study has shown a surge in cases of type two diabetes in children aside from the discredited 2005 report that found the condition almost entirely in high risk children from non white ethnic groups. Widespread screening and changes to the diagnostic measure of type two diabetes (the basis incidentally of false claims of soaring rates) have increased greatly the probability of diagnosis compared to the past. Nonetheless, the disease, which is substantially inherited, has not actually been linked to weight except at high end BMI and rarely is account taken of the weight gain often indicated with the condition. Diabetes is one of twenty one diseases commonly linked to obesity (including CVD, colorectal and breast cancers) that Graubard and Flegal (2009) found had no actual statistically significant mortality link to BMI. Other common measures of fatness, in particular a high waist measurement and high body fat, were found to be correlated with lower overall mortality. However complex the true picture, on the basis of small numbers of people, or tiny correlations, invariably studies like this one are portrayed in media as confirmation of the dangers of fat.

One reason for the paucity of references to the role of dieting and of poverty in exacerbating type two diabetes, as well as the unnecessary deaths among the poor and elderly attributable to systemic failings in medical care, may be that like cancer and CHD, weight focused practitioners are less interested in treating the disease than correcting the deviant 'behaviour' (Aphramor, 2015). Osteoporosis is a disease that kills more women every year through directly related fractures than colorectal and breast cancer combined. In spite of its high mortality, it appears not to be subject to much prevention at all, being virtually absent from the healthy lifestyle advice we receive from our practitioners except where they are trying to link it to obesity.

In the case of thinner people or those following weight loss regimes, disease correlations are never treated as causal, discounted on the perfectly reasonable grounds that 'the thin' includes people with chronic morbidities and eating disorders who are not representative. People whose weight is inflated by disease or disability are regarded differently however: they remain fat rather than ill, their unrepresentative diseases translated into obesity (see Shriver, 2009).

The fat may well be the only group subject to social discrimination who do not in fact die younger than everyone else. Contrary to media reports at the time the large 2009 Canadian study did not show benefits to overweight only; many of the 'obese' scored as well as or better than the 'normal'. Its findings are consistent with the great majority of studies conducted since the 1960s showing little variation in mortality across most of the BMI

range with the better outcomes falling in the middle of the population among the overweight and mildly obese. The BMI with the 'best' score in terms of life expectancy, 27, is the average of Britain's population. The picture of BMI as non pathological except at the margins was found in the 2013 JAMA 'study of studies' to be near unequivocal (Flegal et al).

The obesogenic doctrine that fat people die younger, and the wild claims built around it, is achieved by the simple expedient of spreading the prognosis of people at the margins where more people with illness or disability will be found, across millions who are well; a reading of the figures that would produce the same outcome for those of 'normal' weight. While multiple individual variables affect our health and mortality, epidemiological studies suggest that for all but a tiny number of people, body size does not figure among them. Invariably this long term core data, in tune with biological laws, is ignored in favour of stakeholder led studies whose leaders are complicit in the narrative. Usually they suggest 'benefits' which have been shown previously to disappear or reverse over the longer term, they 'extrapolate' while ignoring compounding effects or they 'correlate' while failing to control for multiple morbidity indicators, sometimes major ones such as class, race, disability, life experiences as well as dieting history (Kendrick, 2014).

In spite of the far greater impact of malnutrition, frequently, the war on obesity targets the cost of fat (so called over nutrition) as a burden on society. While the fat are expected to subsidise the treatment of the non fat it is regarded as unreasonable if not outrageous for the care of people who happen to be large to be the responsibility of all of us. In cases where dysfunction in diet is causal, which are rare, the same double standard is usually applied. Patients malnourished because of eating disorders or chronic illness are viewed as deserving of understanding and support while 'supersized' individuals whose weight is inflated by genetic, metabolic or other disorders (and this is nearly all of them) are ridiculed in media as failed people lacking willpower.

It is difficult to see the reasons why health practitioners and academics would adopt or accept standards like these unless of course they are proceeding from the belief that fat death is different from thin or deserves to be treated differently. The belief that morbidity in the fat is a pathological condition of the larger body is a result I suggest not of evidence but of response; it is the attitude of practitioners to the fat body that differs from the norm applied to everyone else.

Conclusion

The 'obesity' story – fat is the proof we're unhealthy and it's caused by bad lifestyle choices – is contradicted by decades of independent scientific study suggesting size diversity is benign, naturally occurring and resistant to manipulation by diet or exercise. By extension the cure - the balance of nutrition and energy the theory says will produce the healthy body size - will be found in most of us, especially those over forty, only in a life governed by hunger.

Obesity is perhaps the first large scale example in the modern era of the subordination of

health policy to socially constructed ideals, playing to what is desirable at the expense of what is real. Where history is clear usually it is ignored, a mindset cultivated enthusiastically by the leaders of societies. Whenever medical science is recruited to legitimise ideologically driven or commercially fuelled crusades, whether dressed as wars on degeneracy, anti social behaviour, deviance, lifestyle or disability, abuse of the vulnerable by the powerful is the result.

Stretching the responsibility to change so far beyond the small minority whose lives may be improved by managed diets opens markets for providers but across the community any benefit will be outweighed significantly by the potential for harm. Based on idealized models, millions of people with a normal life expectancy face the risks of 'treatment' with drugs, malnutrition or surgery based on nothing more than the imperative to change their BMI or other arbitrary norm.

Bibliography

Aphramor, Lucy 'Mindfulness in Healthy Weight and Diabetes', *Journal of Diabetic Nursing*; 2015: 19 (10): 401-407

Blair, Steven et al 'Cardiorespiratory Fitness and Adiposity as Mortality Predictors in Older Adults', *Journal of the American Medical Association*; 2007: 2507-2516.

British Association for Parenteral and Enteral Nutrition, December 2005.

Campos, Paul (2004) The Obesity Myth. New York: Gotham Books.

Campos P et al 'The epidemiology of overweight and obesity: public health crisis or moral panic?', *International Journal of Epidemiology*; February 2006: 35 (1): 55-60.

Cooper, Charlotte, 'the Biazarro World of the Obesity Stakeholder', available at: http://www.charlottecooper.net/docs/fat/obesity_stakeholder.htm

Flegal, K.M and Graubard, B.I 'Estimates of excess deaths associated with body mass index and other anthropometric variables', *American Journal of Clinical Nutrition*; 2009; 89: 1213-1219.

Flegal, K.M, Kit, Brian K, Orpana H, Graubard, Barry I, 'Association of all cause mortality with overweight and obesity using standard body mass index categories: a systematic review and meta-analysis', *JAMA*; 2013; 309(1):71-82.

Kendrick, Malcolm, (2014) Doctoring Data: How to sort out medical advice from medical nonsense. Columbus.

Gaesser, Glenn A (2002) Big Fat Lies: the Truth about Your Weight and Your Health. Carlsbad, California: Gurze Books.

Gard, Michael, 'Obesity and Public Policy: Thinking Clearly and Treading Carefully', *Scottish Council Foundation*, July 2007.

Gard, Michael and Wright, Jan (2005) The Obesity Epidemic: Science, Morality and Ideology. London: Routledge.

Heuer, Chelsea and Puhl, Rebecca 'Obesity Stigma; Important Considerations for Public Health', *American Journal of Public Health*, June 2010.

Low Income Diet and Nutrition Survey, *Food Standards Agency*, July 2007 Available at: http://www.norfolk.nhs.uk/news/2008/feb/childhoodobesity.html

Luik, J and Basham, P 'Four fat myths about obesity and cancer', *Spiked Online*, February 2009, available at: http://www.spikedonline.com/index.php/site/article/6297/

Orpana, Heather M et al 'BMI and Mortality: Results From a National Longitudinal Study of Canadian Adults', *Obesity*, 2009.

Rohrer, Finlo, 'Should we bring back rationing', *BBC News Magazine*, 7th January 2010, available at: http://news.bbc.co.uk/1/hi/magazine/8445824.stm

Rokholm, B et al 'Levelling off of the obesity epidemic since the year 1999, a review of evidence and perspectives', *Obesity Review*, Dec 2010.

Scientific American, April 2007. Available at:

http://www.scientificamerican.com/podcast/episode.cfm?id=BE73BA72E7F2-99DF-325F60B2E1AB3C7F

Shriver, Lionel 'My Brother is eating himself to death', *Guardian*, 1st December 2009, available at: http://www.guardian.co.uk/lifeandstyle/2009/dec/01/lionel-shriver-myobese-brother

Stunkard, A.J et al 'A Twin Study of Human Obesity', JAMA; 1986: 51-54.

Thousand Families Study, available at: http://research.ncl.ac.uk/plerg/Research/1000F/1000 home.htm

Wardle J et al 'Evidence for a strong genetic influence on childhood adiposity despite the force of the obesogenic environment', *American Journal of Clinical Nutrition*; 2008; 87:398–404

Appended:

'How We Know It's Not Science': science v superstition model 'You know How to Whistle, Don't You?: medical modelling of lesbianism

Obesity! So You Think It's 'Science'

SCIENCE	SUPERSTITION
What We Are	What We Want to Be
What We Know	What We Feel
Lead by Evidence	Lead by Opinion
Disinterested	Self Interested
Questioning	Dogmatic
Flexible	Inflexible
Moderate	Extreme
Considered	Emotional
Invites Scrutiny	Fears Scrutiny

Science v Superstition Model Kim Bryan, January 2016

You Know How to Whistle, Don't You?

Medical 'explanations' for lesbianism

1857	Tardieu	homosexuals as criminally deviant
1860	Ulrichs	homosexuals a 'third sex'
1893	Moll	'unrequited' homosexual women suffer disturbance of the nervous system and outbursts of fury
1894	KrafftEbing	lesbianism a cerebral anomaly indicating an inherited diseased condition of the central nervous system
1896	Tarnovsky	homosexuality a result of nervously disturbed, hysterical, insane or diseased parents
1897	Ellis	female 'inversion' the more common; lesbians boyish, nervy and having deep voices and the ability to whistle
1908	Carpenter	female homosexuals 'fiery, active, bold and truthful, with defects running to brusqueness and coarseness'
1917	Adler	lesbianism a 'protest' against male objectification of women
1917	Wolfe	lesbians 'avoiding' the responsibilities of marriage; 'predatory' (unmarried) lesbians, a threat to family life
1920s	Freud	lesbianism an 'abnormality'/ underdevelopment caused by unresolution of Oedipal feelings; characterised by penis envy, mother fixation
1936	Terman, Miles and Kelly	two lesbian types, perverted and inverted, the first outside natural gender alignment, the second emotionally repressed in gender identity

1936	Ellis	sex segregation, disappointment or failure in heterosexual love or excessive masturbation
1936	Hirschfield	an incurable genetic disease
1941	Henry	failure of parents to enforce gendered roles creating a man in a woman's body
1947	Thompson	an underlying disorder 'triggered' when there are no available men
1954	Caprio	a narcissistic extension of auto eroticism triggered by a childhood or adolescent trauma
1963	Socerides,	'contributory' factors- sexual abuse,
1965	Romm and	ambivalence towards parents, fear of men,
1976	Wilbur	'clitoral fixation'
1970	MacDougall	rebellion against mother role resulting in a psychotic identification with the father
1978	Socerides	a masochism leading to a failure to recognise or focus upon the 'object'
1988	Siegal	narcissism again, caused by the mother 'interfering' in her daughter's identification
1989	Quinodoz	a defence against psychotic and Oedipal anxieties

 $\frac{http://www.lesbianinformationservice.org/medrole.htm}{January~2004}$

Morbidly Obsessed: the Junk Science of Obesity

Edited version of essays written between 2015 and 2017



Published by 'National Bolshevism UK' 2nd March 2021